

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
1		225			ABB	Multistack	RMS112122CHLBR	# of sockets 1
1		225			ABB	Multistack	RMS112222CHLBR	# of sockets 2
1		225			ABB	Multistack	RMS112322CHLBR	# of sockets 3
1		225			ABB	Multistack	RMS112422CHLBR	# of sockets 4
3in - 1out		225			ABB	Multistack	RMS212122CHLBR	# of sockets 1
3in - 1out		225			ABB	Multistack	RMS212222CHLBR	# of sockets 2
3in - 1out		225			ABB	Multistack	RMS212322CHLBR	# of sockets 3
3in - 1out		225			ABB	Multistack	RMS212422CHLBR	# of sockets 4
3		225			ABB	Multistack	RMS312122CHLBR	# of sockets 1 - 7th jaw included
3		225			ABB	Multistack	RMS312222CHLBR	# of sockets 2 - 7th jaw included
3		225			ABB	Multistack	RMS312322CHLBR	# of sockets 3 - 7th jaw included
3		225			ABB	Multistack	RMS312422CHLBR	# of sockets 4 - 7th jaw included
3	600 V	1200-4000			All-City	Switchgear	ACSB2739	
3	600 V	200-1200			All-City	Switchgear	ACSB2739A	
3	600 V	1600-2000			Atlas	Switchgear	ATL111156A	
3	600 V	800-1200			Atlas	Switchgear	ATL208312	
3	600 V	1600-3000			Atlas	Switchgear	ATL211166	
3	600 V	800-1200			Atlas	Switchgear	ATL403215	
3	600 V	800-1200			Atlas	Switchgear	ATLCT1200	
3	600 V	1600-2000			Atlas	Switchgear	ATLCT2000	
3	600 V	2500-3000			Atlas	Switchgear	ATLCT3000	
3	600 V	4000			Atlas	Switchgear	ATLCT4000	
1		200	OH/UG		Cutler Hammer	Single Meter	UGE4213CCCCH	
1		320	OH/UG		Cutler Hammer	Single Meter	UGT-H4330U-CH	
3		200	OH/UG		Cutler Hammer (Eaton)	Single Meter	UE7213CCCCH	
3	120/208, 120/240, 277/480	1600-2000			Cutler Hammer/Westinghouse	Switchgear	6659C99G02	
3	120/208, 120/240, 277/480	2500-3000			Cutler Hammer/Westinghouse	Switchgear	6659C99G03	
3	120/208, 120/240, 277/480	4000			Cutler Hammer/Westinghouse	Switchgear	6659C99G04	
3	120/208, 120/240, 277/480	400-800			Cutler Hammer/Westinghouse	Switchgear	8808C87G01	
3	120/208, 120/240, 277/480	1000-1200			Cutler Hammer/Westinghouse	Switchgear	8808C87G02	
3	120/208, 120/240, 277/480	400-800			Cutler Hammer/Westinghouse	Switchgear	8808C87G03	
3	120/208, 120/240, 277/480	1200			Cutler Hammer/Westinghouse	Switchgear	8808C87G04	
3	120/208, 120/240, 277/480	400-800			Cutler Hammer/Westinghouse	Switchgear	8808C87G05	
3	120/208, 120/240, 277/480	1000-1200			Cutler Hammer/Westinghouse	Switchgear	8808C87G06	
3	120/208, 120/240, 277/480	400-800			Cutler Hammer/Westinghouse	Switchgear	8808C87G07	
3	120/208, 120/240, 277/480	1000-1200			Cutler Hammer/Westinghouse	Switchgear	8808C87G08	
1		200	UG		Cutler-Hammer	Multi-Stack	35MM120R12NY	
1		200	UG		Cutler-Hammer	Multi-Stack	35MM220R12NY	
1		200	UG		Cutler-Hammer	Multi-Stack	35MM320R12NY	
1		200	UG		Cutler-Hammer	Multi-Stack	35MM420R12NY	
3		200	UG		Cutler-Hammer	Multi-Stack	37MM120R12NY	
3		200	UG		Cutler-Hammer	Multi-Stack	37MM220R12NY	
3		200	UG		Cutler-Hammer	Multi-Stack	37MM320R12NY	
3		200	UG		Cutler-Hammer	Multi-Stack	37MM420R12NY	
3	277/480	20			Delta/Superior	Remote Socket	MS10P-3L	Remote Pan
1	120/240	20			Delta/Superior	Remote Socket	MS7P-1L	Remote Pan
3	120/240, 120/208, 277/480	400-1200			Delta/Superior	Switchgear	12CTA535	
3	120/208 or 277/480	1600-4000			Delta/Superior	Switchgear	8802CTA1068	
3	120/208 or 277/480	400-1200			Delta/Superior	Switchgear	RT12CTA535	
3	120/208 or 277/480	1600-4000			Delta/Superior	Switchgear	RT8802CTA1068	
1	600 V	200/400			Delta/Superior	Trans-S	4CT-1L	
1	600 V	200/400			Delta/Superior	Trans-S	4CT-1L-350AL	
3	600 V	200/400			Delta/Superior	Trans-S	4CT-3L	

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
3	600 V	200/400			Delta/Superior	Trans-S	4CT-3L-350AL	
3	600 V	400		INDOOR	Delta/Superior	Trans-S	4CT-SWHB-3L	NEMA 1
3	600 V	400			Delta/Superior	Trans-S	4CT-SWL-3L	LOAD DISCONNECT
3	600 V	400			Delta/Superior	Trans-S	4CT-SWLB-3L	LOAD DISCONNECT
3	240 V	600			Delta/Superior	Trans-S	6CT-SWL-3L	Line TOP
3	240 V	600			Delta/Superior	Trans-S	6CT-SWLB-3L	Line BOTTOM
3	480 V	600			Delta/Superior	Trans-S	6CT-SWHB-3L	Line BOTTOM
3	480 V	600			Delta/Superior	Trans-S	6CT-SWHB-3L(SM)	Line BOTTOM
1	600 V	400/600/800			Delta/Superior	Trans-S	8CT-1L	Remote Metered
1	600 V	400/600/800			Delta/Superior	Trans-S	8CT-1L-350 AL	
3	600 V	400/600/800			Delta/Superior	Trans-S	8CT-3L	Remote Metered
3	600 V	400/600/800			Delta/Superior	Trans-S	8CT-3L-350 AL	
3	600 V	400/600/800		INDOOR	Delta/Superior	Trans-S	8CT-SWHB-3L	NEMA 1
3	600 V	400/600/800		INDOOR	Delta/Superior	Trans-S	8CT-SWL-3L	NEMA 1
3	600 V	400/600/800		INDOOR	Delta/Superior	Trans-S	8CT-SWLB-3L	NEMA 1
1	600 V	200/400			Delta/Superior	Trans-S	R-4CT-1L	
1	600 V	200/400			Delta/Superior	Trans-S	R4CT-1L-350AL	
3	600 V	200/400			Delta/Superior	Trans-S	R-4CT-3L	
3	600 V	200/400			Delta/Superior	Trans-S	R4CT-3L-350AL	
1	600 V	400/600/800			Delta/Superior	Trans-S	R-8CT-1L	
1	600 V	400/600/800			Delta/Superior	Trans-S	R8CT-1L-350 AL	
3	600 V	400/600/800			Delta/Superior	Trans-S	R-8CT-3L	
3	600 V	400/600/800			Delta/Superior	Trans-S	R8CT-3L-350 AL	
1	120/208 or 120/240	320			Durham	Single Meter	1005468A	
1	120/208 or 120/240	200			Durham	Single Meter	1005763	
1	120/208 or 120/240	200			Durham/Sq D/C.H.	Single Meter	1005469B	
3	120/208, 120/240, 277/480	200			Durham/Sq D/C.H.	Single Meter	1005764	
3	120/208, 120/240, 277/480	200			Durham/Sq D/C.H.	Single Meter	UTH7213U	
3	600 V	1200			Electrotech	Switchgear	E3812	
3	600 V	400			Electrotech	Switchgear	E384	
3	600 V	600			Electrotech	Switchgear	E386	
3	600 V	800			Electrotech	Switchgear	E388	
3	600 V	1600-3000			Electrotech	Switchgear	T486	
3		400-1200			Galaxy/Apelio-LLC	CT Cabinet	AP-8801-LI-400A-1200A	Bus Bar CT Cubicle
3		1600-4000			Galaxy/Apelio-LLC	CT Cabinet	AP-8802-LI-1600A-4000A	
3		1600	OH/UG		Gavan- Graham	CT cabinet	LIPA-1600-N1	window type
3		2000	OH/UG		Gavan- Graham	CT cabinet	LIPA-2000-N1	window type
3		2500	OH/UG		Gavan- Graham	CT cabinet	LIPA-2500-N1	window type
3		3000	OH/UG		Gavan- Graham	CT cabinet	LIPA-3000-N1	
1		200	UG		General Electric	Multi-Stack	TMPR12122R	
1		200	UG		General Electric	Multi-Stack	TMPR12222R	
1		200	UG		General Electric	Multi-Stack	TMPR12322R	
1		200	UG		General Electric	Multi-Stack	TMPR12422R	
3		200	UG		General Electric	Multi-Stack	TMPR312122R	
3		200	UG		General Electric	Multi-Stack	TMPR312222R	
3		200	UG		General Electric	Multi-Stack	TMPR312322R	
3		200	UG		General Electric	Multi-Stack	TMPR312422R	
3	600 V	1200-2000			General Electric	Switchgear	75C143991SH41A	
3	600 V	2500-3000			General Electric	Switchgear	75C143991SH41B	
3	600 V	4000			General Electric	Switchgear	75C143991SH41C	
3	600 V	400-1200			General Electric	Switchgear	75C323025A	
1	120/240	150	OH/UG	outdoor	Leviton	Meter Main w/ Breaker	LS815-B5D	Surf Mount
1	120/240	200	OH/UG	outdoor	Leviton	Meter Main w/ Breaker	LS820-B5D	Surf Mount

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
3	600 V	800	OH/UG		Lincoln Electric	Switchgear	800-8801-LIPA	Bus Bar CT Cubicle
3	600 V	1200	OH/UG		Lincoln Electric	Switchgear	1200-8801-LIPA	Bus Bar CT Cubicle
3	600 V	1600	OH/UG		Lincoln Electric	Switchgear	1600-8802-LIPA	Window CT Cubicle
3	600 V	2000	OH/UG		Lincoln Electric	Switchgear	2000-8802-LIPA	Window CT Cubicle
3	600 V	3000	OH/UG		Lincoln Electric	Switchgear	3000-8802-LIPA	Window CT Cubicle
3	600 V	4000	OH/UG		Lincoln Electric	Switchgear	4000-8802-LIPA	Window CT Cubicle
1	120/240	200			Milbank	2 Position w/ Main Breaker	U5972-XT-LIS-BLG	
1	120/240	200			Milbank	3 Position w/ Main Breaker	U5973-XT-LIS-BLG	
1	120/240	200			Milbank	4 Position w/ Main Breaker	U5974-XT-LIS-BLG	
1	120/240	200			Milbank	5 Position w/ Main Breaker	U5975-XT-LIS-BLG	
1	120/240	200			Milbank	6 Position w/ Main Breaker	U5976-XT-LIS-BLG	
1		100	UG		Milbank	Control Pedestal	CP3B511xxAxLIS	
1		100	UG		Milbank	Control Pedestal	CP3B511xxBxLIS	
1		100	UG		Milbank	Control Pedestal	CP3B511xxKxLIS	
1		100	UG		Milbank	Control Pedestal	CP3B511xxDxLIS	
1		200	UG		Milbank	Control Pedestal	CP3B521xxAxLIS	
1		200	UG		Milbank	Control Pedestal	CP3B521xxBxLIS	
1		200	UG		Milbank	Control Pedestal	CP3B521xxKxLIS	
1		200	UG		Milbank	Control Pedestal	CP3B521xxDxLIS	
1		320	UG		Milbank	Control Pedestal	CP3B541xxAxLIS	
1		320	UG		Milbank	Control Pedestal	CP3B541xxBxLIS	
1		320	UG		Milbank	Control Pedestal	CP3B541xxKxLIS	
1		320	UG		Milbank	Control Pedestal	CP3B541xxDxLIS	
3		100	UG		Milbank	Control Pedestal	CP3B515xxAxLIS	
3		100	UG		Milbank	Control Pedestal	CP3B515xxBxLIS	
3		100	UG		Milbank	Control Pedestal	CP3B515xxKxLIS	
3		100	UG		Milbank	Control Pedestal	CP3B515xxDxLIS	
3		200	UG		Milbank	Control Pedestal	CP3B525xxAxLIS	
3		200	UG		Milbank	Control Pedestal	CP3B525xxBxLIS	
3		200	UG		Milbank	Control Pedestal	CP3B525xxKxLIS	
3		200	UG		Milbank	Control Pedestal	CP3B525xxDxLIS	
1		200	UG		Milbank	Control Pedestal	CP3FC21XXXXXXXXLIS	CT Rated
1		400	UG		Milbank	Control Pedestal	CP3FC41XXXXXXXXLIS	CT Rated
1		600	UG		Milbank	Control Pedestal	CP3FC61XXXXXXXXLIS	CT Rated
1		800	UG		Milbank	Control Pedestal	CP3FC81XXXXXXXXLIS	CT Rated
3	208	200	UG		Milbank	Control Pedestal	CP3FC25XXXXXXXXLIS	CT Rated
3	208	400	UG		Milbank	Control Pedestal	CP3FC45XXXXXXXXLIS	CT Rated
3	208	600	UG		Milbank	Control Pedestal	CP3FC65XXXXXXXXLIS	CT Rated
3	208	800	UG		Milbank	Control Pedestal	CP3FC85XXXXXXXXLIS	CT Rated
3	480	200	UG		Milbank	Control Pedestal	CP3FC28XXXXXXXXLIS	CT Rated
3	480	400	UG		Milbank	Control Pedestal	CP3FC48XXXXXXXXLIS	CT Rated
3	480	600	UG		Milbank	Control Pedestal	CP3FC68XXXXXXXXLIS	CT Rated
3	480	800	UG		Milbank	Control Pedestal	CP3FC88XXXXXXXXLIS	CT Rated
1		100	OH/UG		Milbank	Control Surface Mount	CP2B51XXXXXXXXLIS	
1		200	OH/UG		Milbank	Control Surface Mount	CP2B52XXXXXXXXLIS	
1		200	OH/UG		Milbank	Horizontal	U4142-XT-LIS	Horizontal
1		200	OH/UG		Milbank	Horizontal	U4143-XT-LIS	Horizontal
1		200	OH/UG		Milbank	Horizontal	U4144-XT-LIS	Horizontal
NA	NA	NA	NA		Milbank	Lug Kit	K4892	
NA	NA	NA	NA		Milbank	Lug Kit	K4893	
NA	NA	NA	NA		Milbank	Lug Kit	K4894	
NA	NA	NA	NA		Milbank	Lug Kit	K4895	
NA	NA	NA	NA		Milbank	Lug Kit	K4896	

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
NA	NA	NA	NA		Milbank	Lug Kit	K4897	
1		100	OH/UG		Milbank	Meter/Breaker	U3986-XL100-LIS	
1		150	OH/UG		Milbank	Meter/Breaker	U3986-XL150-LIS	
1		200	OH/UG		Milbank	Meter/Breaker	U3986-XL200-LIS	
1		320	OH/UG		Milbank	Meter/Breaker	U6585-X-2/150-K3L-LIS	Formerly: U5059-X2/150-K3L-LIS
3		200	OH/UG		Milbank	Meter/Breaker	U5080	
1		20			Milbank	Remote Socket	UC4278-XL-21-LI	
3		20			Milbank	Remote Socket	UC4279-XL-21-LI	
3		200	OH/UG		Milbank	Single Meter	U1854-XL-QG-BLG-LIS	
1		200	OH/UG		Milbank	Single Meter	U3042-XL-QG-BLG-LIS	
1		320	OH/UG		Milbank	Single Meter	U6604-X-2/200-K3L-5T9	Formerly: U5073-X-K3L-K2L-LIS
3	600 V	400/600/800	OH/UG		Milbank	Trans-S	U4154	
3	600 V	400/800	OH/UG		Milbank	Trans-S	U4163	
1	600 V	400/600/800	OH/UG		Milbank	Trans-S	U4165	
1	600 V	400/600/800	OH/UG		Milbank	Trans-S	U4166	
3	600 V	200/400	OH/UG		Milbank	Trans-S	U4523	
1	600 V	200/400	OH/UG		Milbank	Trans-S	U4554	
3	600 V	1600-4000			Navtech	CT Cabinet	NAV-PG-377CT-N3R	NEMA 3R SHED ROOF AND SKIRTED DOORS
3	600 V	1600-4000			Navtech	CT Cabinet	NAV-PG-377CT	
1	120/208 or 120/240	20			Navtech	Remote Socket	MS7PTS-LIPA	
3	120/208, 120/240, 277/480	20			Navtech	Remote Socket	MS10PTS-LIPA	
3		1200			Navtech	Switchgear	TS-12CT-500(3)	
1	600 V	200/400			Navtech	Trans-S	RTS-400-(1)	
3	600 V	200/400			Navtech	Trans-S	RTS-400-(3)	
1	600 V	400/600/800			Navtech	Trans-S	RTS-800-(1)	
3	600 V	400/600/800			Navtech	Trans-S	RTS-800-(3)	
1	240 V	200/400			Navtech	Trans-S	TS/SW 400-240B	Line BOTTOM
1	240 V	200/400			Navtech	Trans-S	TS/SW 400-240T	Line TOP
3	480 V	200/400			Navtech	Trans-S	TS/SW 400-480B	Line BOTTOM
3	480 V	200/400			Navtech	Trans-S	TS/SW 400-480T	Line TOP
3	240 V	400/600/800			Navtech	Trans-S	TS/SW 600-240B	Line BOTTOM
3	240 V	400/600/800			Navtech	Trans-S	TS/SW 600-240T	Line TOP
3	480 V	400/600/800			Navtech	Trans-S	TS/SW 600-480B	Line BOTTOM
3	480 V	400/600/800			Navtech	Trans-S	TS/SW 600-480T	Line TOP
1	240 V	400/600/800			Navtech	Trans-S	TS/SW 800-240B	Line BOTTOM
1	240 V	400/600/800			Navtech	Trans-S	TS/SW 800-240T	Line TOP
3	480 V	400/600/800			Navtech	Trans-S	TS/SW 800-480B	Line BOTTOM
3	480 V	400/600/800			Navtech	Trans-S	TS/SW 800-480T	Line TOP
1	600 V	200/400			Navtech	Trans-S	TS-400-208(1)	
3	600 V	200/400			Navtech	Trans-S	TS-400-208(3)	
1	600 V	400			Navtech	Trans-S	TS-400AL-350(1)	
1	600 V	400/600/800			Navtech	Trans-S	TS-800-208(1)	
3	600 V	400/600/800			Navtech	Trans-S	TS-800-208(3)	
3	120/208 or 277/480	1200	UG		Power-Flo Technologies	Switchgear	CT12-LIPA	Formely known as ElectricSwitchBoard
3	120/208 or 277/480	1600	OH/UG		Power-Flo Technologies	Switchgear	CT16-LIPA	Formely known as ElectricSwitchBoard
3	120/208 or 277/480	2000	OH/UG		Power-Flo Technologies	Switchgear	CT20-LIPA	Formely known as ElectricSwitchBoard
3	120/208 or 277/480	2500	OH/UG		Power-Flo Technologies	Switchgear	CT25-LIPA	Formely known as ElectricSwitchBoard

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
3	120/208 or 277/480	3000	OH/UG		Power-Flo Technologies	Switchgear	CT30-LIPA	Formerly known as ElectricSwitchBoard
3	120/208 or 277/480	4000	OH/UG		Power-Flo Technologies	Switchgear	CT40-LIPA	Formerly known as ElectricSwitchBoard
3	120/208 or 277/480	800	UG		Power-Flo Technologies	Switchgear	CT8-LIPA	Formerly known as ElectricSwitchBoard
3	120/208 or 277/480	400		INDOOR	Precision Switchboard	Switchgear	PS-8801-400-LI	NEMA 1
3	120/208 or 277/480	600		INDOOR	Precision Switchboard	Switchgear	PS-8801-600-LI	NEMA 1
3	120/208 or 277/480	800		INDOOR	Precision Switchboard	Switchgear	PS-8801-800-LI	NEMA 1
3	120/208 or 277/480	1000		INDOOR	Precision Switchboard	Switchgear	PS-8801-1000-LI	NEMA 1
3	120/208 or 277/480	1200		INDOOR	Precision Switchboard	Switchgear	PS-8801-1200-LI	NEMA 1
3	120/208 or 277/480	400		OUTDOOR	Precision Switchboard	Switchgear	PS-8801-400-LI-3R	NEMA 3R
3	120/208 or 277/480	600		OUTDOOR	Precision Switchboard	Switchgear	PS-8801-600-LI-3R	NEMA 3R
3	120/208 or 277/480	800		OUTDOOR	Precision Switchboard	Switchgear	PS-8801-800-LI-3R	NEMA 3R
3	120/208 or 277/480	1000		OUTDOOR	Precision Switchboard	Switchgear	PS-8801-1000-LI-3R	NEMA 3R
3	120/208 or 277/480	1200		OUTDOOR	Precision Switchboard	Switchgear	PS-8801-1200-LI-3R	NEMA 3R
3	120/208 or 277/480	1600		INDOOR	Precision Switchboard	Switchgear	PS-1600-LI	NEMA 1
3	120/208 or 277/480	2000		INDOOR	Precision Switchboard	Switchgear	PS-2000-LI	NEMA 1
3	120/208 or 277/480	2500		INDOOR	Precision Switchboard	Switchgear	PS-2500-LI	NEMA 1
3	120/208 or 277/480	3000		INDOOR	Precision Switchboard	Switchgear	PS-3000-LI	NEMA 1
3	120/208 or 277/480	4000		INDOOR	Precision Switchboard	Switchgear	PS-4000-LI	NEMA 1
3	120/208 or 277/480	1600		OUTDOOR	Precision Switchboard	Switchgear	PS-1600-LI-3R	NEMA 3R
3	120/208 or 277/480	2000		OUTDOOR	Precision Switchboard	Switchgear	PS-2000-LI-3R	NEMA 3R
3	120/208 or 277/480	2500		OUTDOOR	Precision Switchboard	Switchgear	PS-2500-LI-3R	NEMA 3R
3	120/208 or 277/480	3000		OUTDOOR	Precision Switchboard	Switchgear	PS-3000-LI-3R	NEMA 3R
3	120/208 or 277/480	4000		OUTDOOR	Precision Switchboard	Switchgear	PS-4000-LI-3R	NEMA 3R
3in-1out	120/240 or 120/208	225			Siemens	HousePowerModule	WCL2040B2T1RJ	
3in-1out	120/240 or 120/208	200			Siemens	HousePowerModule	WCL2040B2T2RJ	
3in-1out	120/240 or 120/208	175			Siemens	HousePowerModule	WCL2040B2T3RJ	
3in-1out	120/240 or 120/208	175			Siemens	HousePowerModule	WCL2040B2T4RJ	
3in-1out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2040B2T5RJ	
3in-1out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2040B2T6RJ	
3in-1out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2040B2T7RJ	
3in-1out	120/240 or 120/208	125			Siemens	HousePowerModule	WCL2040B2T8RJ	
3in-1out	120/240 or 120/208	125			Siemens	HousePowerModule	WCL2040B2T9RJ	
3in-3out	120/240 or 120/208	225			Siemens	HousePowerModule	WCL2442B3T1RJ	
3in-3out	120/240 or 120/208	200			Siemens	HousePowerModule	WCL2442B3T2RJ	
3in-3out	120/240 or 120/208	175			Siemens	HousePowerModule	WCL2442B3T3RJ	
3in-3out	120/240 or 120/208	175			Siemens	HousePowerModule	WCL2442B3T4RJ	
3in-3out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2442B3T5RJ	
3in-3out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2442B3T6RJ	
3in-3out	120/240 or 120/208	150			Siemens	HousePowerModule	WCL2442B3T7RJ	
3in-3out	120/240 or 120/208	125			Siemens	HousePowerModule	WCL2442B3T8RJ	
3in-3out	120/240 or 120/208	125			Siemens	HousePowerModule	WCL2442B3T9RJ	
1	120/240 or 120/208	125	OH/UG	outdoor	Siemens	Meter Load Center Combo	MC1224B1125JLC	
1	120/240 or 120/208	200	OH/UG	outdoor	Siemens	Meter Load Center Combo	MC1224B1200JLC	
1	120/240 or 120/208	150	OH/UG	outdoor	Siemens	Meter Load Center Combo	MC2040B1150JLC	
1	120/240 or 120/208	200	OH/UG	outdoor	Siemens	Meter Load Center Combo	MC2040B1200JLC	
1	120/240 or 120/208	200	OH/UG	outdoor	Siemens	Meter Load Center Combo	MC3042B1200JLC	
1	120/240 or 120/208	200	OH/UG Feed-Thru	outdoor	Siemens	Meter Load Center Combo	MC0408B1200JLT	
1	120/240	100	OH/UG Feed-Thru	outdoor	Siemens	Meter Load Center Combo	MC0816B1100JLT	
1	120/240	125	Feed-Thru	outdoor	Siemens	Meter Load Center Combo	MC0816B1125JLT	
1	120/240 or 120/208	150	Feed-Thru	outdoor	Siemens	Meter Load Center Combo	MC0816B1150JLT	

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory


Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
1	120/240 or 120/208	200	Feed-Thru	outdoor	Siemens	Meter Load Center Combo	MC0816B1200JLT	
1	120/240	400	UG	outdoor	Siemens	Meter Load Center Combo	MC2442B1400SDL	Surf Mount
1	120/240	200	OH/UG	outdoor	Siemens	Meter/Breaker	MM0202B1200RLC	Meter Main, Lever Bypass, main breaker
1	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML11225RJ	1 Position Modular Stack- High single phase lever bypass meter stacks
1	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML21225RJ	2 Position Modular Stack- High single phase lever bypass meter stacks
1	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML31225RJ	3 Position Modular Stack- High single phase lever bypass meter stacks
1	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML41225RJ	4 Position Modular Stack- High single phase lever bypass meter stacks
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML12225RJ	1 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML22AB225RJ	2 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML22BC225RJ	2 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML22CA225RJ	2 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML32225RJ	3 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML42AB225RJ	4 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML42BC225RJ	4 Position Modular Stack
3in - 1out	120/208	225		outdoor	Siemens	Multi-Stack	WML42CA225RJ	4 Position Modular Stack
3in - 3out	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML13225RJ	1 Position Modular Stack
3in - 3out	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML23225RJ	2 Position Modular Stack
3in - 3out	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML33225RJ	3 Position Modular Stack
3in - 3out	120/240 or 120/208	225		outdoor	Siemens	Multi-Stack	WML43225RJ	4 Position Modular Stack
1	600 V AC 1 phase 3W	200			Siemens	Multi-Stack	404053-023KS	
1	600 V AC 1 phase 3W	200			Siemens	Multi-Stack	404054-223NU	
1	600 V AC 1 phase 3W	200			Siemens	Multi-Stack	404055-223NU	
1	600 V AC 1 phase 3W	200			Siemens	Multi-Stack	404052-023NU	
1	120/240	225			Siemens	PowerMod Modular Metering	WCL2040B1T1RJ	
1	120/240	200			Siemens	PowerMod Modular Metering	WCL2040B1T2RJ	
1	120/240	175			Siemens	PowerMod Modular Metering	WCL2040B1T3RJ	
1	120/240	175			Siemens	PowerMod Modular Metering	WCL2040B1T4RJ	
1	120/240	150			Siemens	PowerMod Modular Metering	WCL2040B1T5RJ	
1	120/240	150			Siemens	PowerMod Modular Metering	WCL2040B1T6RJ	
1	120/240	150			Siemens	PowerMod Modular Metering	WCL2040B1T7RJ	
1	120/240	125			Siemens	PowerMod Modular Metering	WCL2040B1T8RJ	
1	120/240	125			Siemens	PowerMod Modular Metering	WCL2040B1T9RJ	
1	600 V AC 1 phase 3W	200			Siemens	Single Meter	40405-02CO	5 jaw
3	600 V AC 3 phase 4W	200			Siemens	Single Meter	40407-02CO	7 jaw
3	120/208 or 277/480	200-1200			Siemens	Switchgear	8S-8500-10	
3	600 V	1200			Siemens	Switchgear	8S850011A	
3	600 V	1600			Siemens	Switchgear	8S850011B	
3	600 V	2000			Siemens	Switchgear	8S850011C	
3	600 V	2500			Siemens	Switchgear	8S850011D	
3	600 V	3000			Siemens	Switchgear	8S850011E	
3	600 V	4000			Siemens	Switchgear	8S850011F	
1in - 1out	120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML111225	
1in - 1out	120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML112225	
1in - 1out	120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML113225	
1in - 1out	120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML114225	
3in - 1out	120/208	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML312225	
3in - 1out	120/208	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML313225	
3in - 1out	120/208	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML314225	

Electric Meter Enclosures and Accessories Approved for Use in the PSEG Long Island Service Territory

Phases	Voltage	Amps	Serv Type	Indoor/ Outdoor	Manufacturer	Enclosure	Catalog Number	Description/Comments
3in - 3out	120/208 or 120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML331225	
3in - 3out	120/208 or 120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML332225	
3in - 3out	120/208 or 120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML333225	
3in - 3out	120/208 or 120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML333225D	driphood
3in - 3out	120/208 or 120/240	225	UG		Square D (Schneider Electric)	Multi-Stack	EZML334225	
3in - 3out	120/208 or 120/240	225	OH/UG		Square D (Schneider Electric)	Multi-Stack	EZML334225D	driphood

REVISION HISTORY

Change	Description of Change	Rationale	PSEG LI Approver and Title	Revision Date
#1	Removed NAVTECH Switchgear: TS-RT12CT-500(3) TS-RT12CTUG-500(3)	Due to quality control issues from the manufacturer, these two cabinets are being removed and will be reinstated at a later date	Hayat Sikandar, Manager of Meter Engineering	7/10/2024

		<p>Approved by Hayat Sikandar</p> <p>Date 7/10/2024</p>
---	--	---